



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/748,143	12/31/2003	Stephen Dana Bjorgan	246436US67	6855
22850 7590 03/27/2007 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			DESIR, PIERRE LOUIS	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2617	
SHORTENED STATUTORY	PERIOD OF RESPONSE	NOTIFICATION DATE	DELIVER	Y MODE
3 MON	THS	03/27/2007	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Notice of this Office communication was sent electronically on the above-indicated "Notification Date" and has a shortened statutory period for reply of 3 MONTHS from 03/27/2007.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)				
	10/748,143	BJORGAN ET AL.				
Office Action Summary	Examiner	Art Unit				
•	Pierre-Louis Desir	2617				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period v. Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 09 Fe	ebruary 2006.					
2a)⊠ This action is FINAL . 2b)☐ This	This action is FINAL . 2b) ☐ This action is non-final.					
3) Since this application is in condition for alloward	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) ☑ Claim(s) 1-12 and 14-45 is/are pending in the adapted the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-12 and 14-45 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	vn from consideration.					
Application Papers	·	•				
9) The specification is objected to by the Examine	_					
10) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 31 December 2003 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Examine	re: a) \square accepted or b) \square objected or by accepted or by abject of drawing(s) be held in abeyance. See ion is required if the drawing(s) is object.	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document: 2. Certified copies of the priority document: 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate latent Application (PTO-152)				

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 01/05/2007 has been entered.

Response to Arguments

2. Applicant's arguments filed on 10/03/2006 have been fully considered but they are not persuasive.

Note: During the Applicant initiated interview held at the USPTO on 02/15/2007, Examiner stated that Applicant's representative arguments appear to have overcome the Heinonen et al. Reference. However, stated Examiner, further search and/or consideration about the stated reference would be needed.

Upon further search and/or consideration, it is found that the Heinonen reference still reads on the claims as amended and argued during the interview and as stated on the remarks received on 10/03/2006.

Applicants argue that Heinonen fails to disclose that the received sender-personalized notification is stored in digital repository of the recipient device in association with an identifier that identifies the sender device. To support this argument, Applicants state that Heinonen, rather, discloses that a selected ringing indication may be fetched from a data file on a server or a

Art Unit: 2617

data file on the receiving telephone, but not that a received notification is stored in a digital repository of the recipient device.

Examiner respectfully disagrees. Heinonen discloses that the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information (see col. 3, lines 13-48).

Applicants also argue that Heinonen fails to disclose that a received notification is stored in association with an identifier that identifies the sender device.

Examiner respectfully disagrees. Heinonen discloses that the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

As related to claim 39, Applicants argue that Heinonen fails to disclose a senderpersonalized notification enabling mechanism configured to determine if a sender of a call sent a sender-personalized notification as a separate message at substantially the same time as placing the call.

Examiner respectfully disagrees. As stated in previous the previous Office Action, and discloses by Applicants, Heinonen discloses a system that determines whether or not selection of a ringing notification was included with incoming call. Thus, an interrogation is made to

determine if a ringing information is received or was sent with the incoming call. Therefor, the rejection, as written, stands.

In response to Applicants' arguments regarding Olschwang, Olschwang discloses a recipient device comprising a phonebook (i.e., caller ID or database which stores call originator identities) (see pages 5-6, and paragraph 67) wherein the tones providing system 206 can also identify the originator 201, for example according to a Caller ID (CLI) provided by the switch 203. In those cases when the call originator 201 is identified, according to one embodiment of the invention it is possible to select and provide a personalized configurable call progress tone aimed to the specific call originator 201 (see pages 5-6, paragraph 67).

Applicant is, again, respectfully, reminded that broadly written claims are broadly interpreted by Examiner.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, providing configurable call progress tones, as indicated by Olschwang, is a proper motivation to combine.

Application/Control Number: 10/748,143 Page 5

Art Unit: 2617

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

3. Claims 29-33 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

The claims are directed to a computer program product.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 1-40, 45 are rejected under 35 U.S.C. 102(e) as being anticipated by Heinonen et al. (Heinonen), U.S. Patent No. 6671370.

Regarding claim 1, Heinonen discloses a system for pushing a sender-personalized notification (see abstract), comprising: a sender device (i.e., handset 23) (see fig. 2); and a recipient device (i.e., handset 24) (see fig. 2), wherein the sender device is configured to select the sender-personalized notification (i.e., the user at handset 23 selects a ringing indication) (see col. 7, lines 22-25) and a destination for the sender-personalized notification corresponding to the recipient device (i.e., the user at handset 23 enter the telephone number of handset 24) (see

col. 7, lines 43-44) and to send the sender-personalized notification to the recipient device (i.e., the selected ringing is sent to handset 24) (see col. 7, lines 47-48), and the recipient device is configured to receive the sender-personalized notification and to process the sender-personalized notification based on a type of the sender-personalized notification (i.e., handset 24 is activated in the manner of the ringing indication that was selected by the calling user at handset 23) (see col. 7, lines 49-67), and the received sender-personalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies the sender device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the

Regarding claims 2 and 16, Heinonen discloses a system and a method (see claims 1 and 15 rejections) wherein the type of the sender-personalized notification comprises of a ring tone (see abstract).

calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

Regarding claims 3 and 17, Heinonen discloses a system and a method (see claims 1 and 15 rejections) wherein the recipient device is further configured to play a ring tone sent as the sender-personalized notification on the recipient device when the type of the sender-personalized notification is a ring tone (see col. 9, lines 13-20, also refer to abstract as related to the ring tone selection).

Art Unit: 2617

Regarding claim 4, Heinonen discloses a system (see claim 1 rejection) wherein the sender device is further configured to place a call to the recipient device to be placed at substantially a same time as the sender-personalized notification is sent to the recipient device (i.e., the user at handset 23 dials the phone number of handset 24. prior to indicating to the user of handset terminal 24 that an incoming call has arrived, the selected ringing indication is fetched from data file, whereupon handset 24 is activated in accordance with the ringing indication selection that was made by the user at handset terminal 23. Thus, when the user dials the phone number of the recipient, the selected ringing indication is included with the call) (see col. 7, lines 59 through col. 8, line 7); and the recipient device is further configured to determine that the sender-personalized notification corresponds to the call and to process the sender-personalized notification with the call (see col. 8, line 66 through col. 9, line 7, and col. 9 lines 13-20).

Regarding claim 5, Heinonen discloses a system (see claim 1 rejection) wherein the sender device is further configured to send the sender-personalized notification to a plurality of recipient devices (see col. 6, lines 10-17).

Regarding claim 6, Heinonen discloses a system (see claim 1 rejection) wherein the sender-personalized notification comprises at least one of a notification and an identifier corresponding to the notification (i.e., ringing information includes sound, and digital bits which represent and identify the ringing information) (see col. 2, line 31; and col. 3, lines 22-23).

Regarding claim 7, Heinonen discloses a system (see claim 1 rejection) further comprising: a notification server (i.e., server) (see col. 2, line 66) configured to receive the sender-personalized notification and the destination from the sender device and to send the

Art Unit: 2617

sender-personalized notification to the recipient device (see col. 9, lines 13-20; also refer to col. 4, lines 8-18).

Regarding claim 8, Heinonen discloses a system (see claim 1 rejection) wherein the notification server comprises a digital repository populated with entries defining selectable notifications (i.e., ringing information in the form of ringing indications from a <u>data file</u> in a server in the telephone system) (see col. 2, lines 65-67), and the sender-personalized notification comprises at least one of an identifier corresponding to at least one entry of the digital repository and a notification (see col. 2, lines 36-42).

Regarding claim 9, Heinonen discloses a system (see claim 1 rejection) wherein the sender-personalized notification is communicated between the notification server and at least one of the sender device and the recipient device as an MMS (i.e., as known in the system, Multimedia Message Service, a store-and-forward method of transmitting graphics, video clips, sound files and short text messages over wireless networks using the WAP protocol. Heinonen discloses that the file that is sent to the receiving telephone terminal may be a ringing tone file, an icon file, etc., and it may be an audio file such as a wav file, an image file such as bmp, a video file such as mp2, etc. thus, one skilled n the art would immediately envision that the notification communicated between the server and sender or the recipient as a MMS) (see col. 2, lines 36-42, and col. 4, lines 9-19).

Regarding claim 10, Heinonen discloses a system (see claim 1 rejection) wherein at least one of the sender device and the recipient device comprises a wireless device (i.e., Heinonen discloses that the invention relates to the field of wireless telecommunications; thus, one skilled

Art Unit: 2617

in the art would unhesitatingly conceptualize that the handset described in the invention (see figs 1-2) may be a wireless device) (see col. 1, lines 11-12, col. 2, lines 61-63, and col. 4, lines 1-3).

Regarding claim 11, Heinonen discloses a system (see claim 1 rejection) wherein at least one of the sender device and the recipient device comprises a fixed line device (i.e., terminal dependent) (see figs. 1-2, col. 4, lines 3-4).

Regarding claim 12, Heinonen discloses a system (see claim 1 rejection) wherein the fixed line device comprises at least one of a telephone and a television set-top box (i.e., a calling telephone handset) (see figs. 1-2, abstract).

Regarding claim 13, Heinonen discloses a system (see claim 1 rejection) wherein the sender-personalized notification is stored in the recipient device in a digital repository (data file 22) of the recipient device in an entry corresponding to the sender device (i.e., the user at receiving handset terminal 24, who is also aware of the data file 22 protocol that is used within LAN telephone system 20, is provided with selected ringing indication(s), the selected ringing indication(s) being sent at the request of calling handset terminal 23 to announce the arrival of a incoming call at receiving handset terminal 24) (see col. 8, lines 1-7).

Regarding claim 14, Heinonen discloses a system (see claim 1 rejection) wherein the sender-personalized notification is stored in the recipient device in a digital repository (data file 22) of the recipient device in an entry corresponding to an entity associated with the sender device (see col. 8, lines 1-7).

Regarding claim 15, Heinonen discloses a method for pushing a sender-personalized notification with a call (see abstract), comprising the steps of: selecting the sender-personalized notification (i.e., the user at handset 23 selects a ringing indication) (see col. 7, lines 22-25);

selecting a recipient phone number (i.e., the user at handset 23 enter the telephone number of handset 24) (see col. 7, lines 43-44); placing the call including sending the recipient phone number and sending the sender-personalized notification (i.e., the selected ringing is sent to handset 24) (see col. 7, lines 43-48); determining that the sender-personalized notification corresponds to the call (see col. 7, lines 62-65); and processing the sender-personalized notification based on a type of the sender-personalized message by a recipient device when the call is received (i.e., handset 24 is activated in the manner of the ringing indication that was selected by the calling user at handset 23) (see col. 7, lines 49-67), wherein the received senderpersonalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies a sender device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receivingtelephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

Regarding claim 18, Heinonen discloses a method (see claim 15 rejection) wherein the placing the call step comprises sending the sender-personalized notification as a multimedia messaging service (MMS) message (see col. 2, lines 36-42, and col. 4, lines 9-19. Also, refer to claim 9 rejection).

Regarding claim 19, Heinonen discloses a wireless device (i.e., Heinonen discloses that the invention relates to the field of wireless telecommunications; thus, one skilled in the art

would unhesitatingly conceptualize that the handset described in the invention (see figs 1-2) may be a wireless device) (see col. 1, lines 11-12, col. 2, lines 61-63, and col. 4, lines 1-3) comprising: a processor (i.e., control means) (see col. 10, line 63); and a computer readable medium encoded with processor readable instructions (inherent) that when executed by the processor implement a sender-personalized notification selection mechanism configured to select a notification as the sender-personalized notification to be sent to a recipient device with a call placed by the wireless device (i.e., the user at handset 23 selects a ringing indication) (see col. 7, lines 22-25), and a call placing mechanism configured to send the sender-personalized notification when the call is placed to the recipient device (i.e., the user at handset 23 enter the telephone number of handset 24, and the selected ringing is sent to handset 24) (see col. 7, lines 43-48), wherein the sender-personalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies the wireless device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44)...

Regarding claim 20, Heinonen discloses a device (see claim 19 rejection) the call placing mechanism is further configured to send the sender-personalized notification as a multimedia messaging service (MMS) message (see col. 2, lines 36-42, and col. 4, lines 9-19. Also, refer to claim 9 rejection).

Regarding claim 21, Heinonen discloses a fixed line device (i.e., terminal dependent device, or calling telephone handset) (see abstract, figs. 1-2, col. 4, lines 3-4), comprising: a processor (i.e., control means) (see col. 10, line 63); and a computer readable medium encoded with processor readable instructions (inherent) that when executed by the processor implement a sender-personalized notification selection mechanism configured to select a notification as the sender-personalized notification to be sent to a recipient device with a call placed by the fixed line device (i.e., the user at handset 23 selects a ringing indication) (see col. 7, lines 22-25), and a call placing mechanism configured to send the sender-personalized notification when the call is placed to the recipient device (i.e., the user at handset 23 enter the telephone number of handset 24, and the selected ringing is sent to handset 24) (see col. 7, lines 43-48), wherein the senderpersonalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies the fixed line device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

Regarding claim 22, Heinonen discloses a device (see claim 21 rejection) wherein: the call placing mechanism is further configured to send the sender-personalized notification as a multimedia messaging service (MMS) message (see col. 2, lines 36-42, and col. 4, lines 9-19. Also, refer to claim 9 rejection).

Regarding claim 23, Heinonen discloses a wireless device (refer to claim 19 reasoning) comprising: a processor (i.e., control means) (see col. 10, line 63); and a computer readable medium encoded with processor readable instructions (inherent) that when executed by the processor implements a sender-personalized message processing mechanism configured to process a sender-personalized notification received with a call (i.e., handset 24 is activated in the manner of the ringing indication that was selected by the calling user at handset 23) (see col. 7, lines 49-67), wherein the sender-personalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies a sender device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

Regarding claim 24, Heinonen discloses a device (see claim 23 rejection) wherein the sender-personalized notification processing mechanism is further configured to play a ring tone sent as the sender-personalized notification on the wireless device when a type of the sender-personalized message is a ring tone (see col. 9, lines 13-20, also refer to abstract as related to the ring tone selection).

Regarding claim 25, Heinonen discloses a device (see claim 23 rejection) wherein the sender-personalized message processing mechanism is further configured to process the sender-

personalized notification based on a type of the sender-personalized notification (see col. 7, lines 49-67), and the type of the sender-personalized notification is a ring tone (see abstract).

Regarding claim 26, Heinonen discloses a fixed line device (see abstract, figs. 1-2, col. 4, lines 3-4) comprising: a processor (i.e., control means) (see col. 10, line 63); and a computer readable medium encoded with processor readable instructions (inherent) that when executed by the processor implements a sender-personalized message processing mechanism configured to process a sender-personalized notification received with a call i.e., handset 24 is activated in the manner of the ringing indication that was selected by the calling user at handset 23) (see col. 7, lines 49-67), wherein the sender-personalized notification is stored in a digital repository of the fixed device in association with an identifier that identifies a sender device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44)...

Regarding claim 27, Heinonen discloses a device (see claim 26 rejection) wherein the sender-personalized notification processing mechanism is further configured to play a ring tone sent as the sender-personalized notification on the fixed line device when a type of the sender-personalized message is a ring tone (see col. 9, lines 13-20, also refer to abstract as related to the ring tone selection).

Regarding claim 28, Heinonen discloses a device (see claim 26 rejection) wherein the sender-personalized message processing mechanism is further configured to process the sender-personalized notification based on a type of the sender-personalized notification (see col. 7, lines 49-67), and the type of the sender-personalized notification is a ring tone (see abstract).

Regarding claim 29, Heinonen discloses a computer-readable medium storing a computer program comprising: a computer storage medium (see abstract, figs. 1-2); and a computer program code mechanism (inherent) embedded in the computer storage medium for causing a processor (i.e., control means) (see col. 10, line 63) to select and send a sender-personalized notification to a recipient device when placing a call (i.e., the user at handset 23 selects a ringing indication) (see col. 7, lines 22-25), the computer program code mechanism having a first computer code device configured to select a notification as the sender-personalized notification to be sent to a recipient device with the call placed by a sender device (see col. 7, lines 22-39), and a second computer code device configured to send the sender-personalized notification when the call is placed to the recipient device (i.e., the user at handset 23 enter the telephone number of handset 24, and the selected ringing is sent to handset 24) (see col. 7, lines 43-48), wherein the sender-personalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies the sender device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for

example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

Regarding claim 30, Heinonen discloses a medium (see claim 29 rejection) wherein the second computer code device is further configured to send the sender-personalized notification as a multimedia messaging service (MMS) message (see col. 2, lines 36-42, and col. 4, lines 9-19. Also, refer to claim 9 rejection).

Regarding claim 31, Heinonen discloses a medium comprising: a computer storage medium (see abstract, figs. 1-2); and a computer program code (inherent) mechanism embedded in the computer storage medium for causing a processor (i.e., control means) (see col. 10, line 63) to process a sender-personalized notification received with a call (i.e., handset 24 is activated in the manner of the ringing indication that was selected by the calling user at handset 23) (see col. 7, lines 49-67), the computer program code mechanism having a first computer code device configured to process the sender-personalized notification received with the call (see col. 7, lines 49-67), wherein the sender-personalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies a sender device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

Regarding claim 32, Heinonen discloses a medium (see claim 31 rejection) wherein the first computer code device is further configured to play a ring tone sent as the sender-personalized notification when a type of the sender-personalized notification is a ring tone (see col. 9, lines 13-20, also refer to abstract as related to the ring tone selection).

Regarding claim 33, Heinonen discloses a medium (see claim 31 rejection) wherein the first computer code device is further configured to process the sender-personalized notification based on a type of the sender-personalized notification (see col. 7, lines 22-39, and lines 49-67), and the type of the sender-personalized notification is a ring tone (see abstract).

Regarding claim 34, Heinonen discloses a method for pushing a sender-personalized notification with a call (see abstract), comprising: means for selecting the sender-personalized notification (i.e., the user at handset 23 selects a ringing indication) (see col. 7, lines 22-25); means for selecting a recipient phone number (i.e., the user at handset 23 enter the telephone number of handset 24) (see col. 7, lines 43-44); means for placing the call including sending the recipient phone number and sending the sender-personalized notification (i.e., the selected ringing is sent to handset 24) (see col. 7, lines 43-48); means for determining that the sender-personalized notification corresponds to the call (i.e., handset 24 is activated in the manner of the ringing indication that was selected by the calling user at handset 23) (see col. 7, lines 49-67); and means for processing the sender-personalized notification based on a type of the sender-personalized message by a recipient device when the call is received (see col. 7, lines 49-67), wherein the sender-personalized notification is stored in a digital repository of the recipient device in association with an identifier that identifies a sender device (i.e., the receiving user may set the receiving telephone terminal to store received or incoming calls along with the sent

ringing information and when a call is placed from a calling telephone terminal to a receiving telephone terminal, the user at the calling telephone terminal may optionally elect to announce the call at the receiving-telephone-terminal using ringing indication that is selected from the data-file, for example sound information that indicates the identity of the calling-users) (see abstract col. 3, lines 13-48, and col. 4, lines 36-44).

Regarding claim 35, Heinonen discloses a system (see claim 1 rejection) wherein the recipient device is further configured to process a software upgrade sent as the senderpersonalized notification on the recipient device when the type of the sender-personalized message is a software upgrade (i.e., when the incoming call is the result of the operation of FIG. 3 function 305, NO output 403 of decision function 402 enables function 404 to announce or signal the arrival of the incoming call using a standard ringing tone at telephone terminal 24. However, when the incoming call is the result of the operation of FIG. 3 function 323, the YES output 405 of decision function 402 enables function 406 to fetch the selected ringing indication from data file 22, followed by function 407 operating to announce or signal the arrival of the incoming call by playing and/or displaying (i.e., by using) the selected ringing indication at telephone terminal 24, as was selected at function 307 of FIG. 3. Thus, when the user at handset 23 does not select a ringing notification, a standard ringing tone is heard at handset 24. However, when the user at handset 24 selects a ringing indication (newly selected tone), which inherently is an upgraded indication from the standard indication, this newly selected and upgraded indication (software upgrade) is sent to handset 24) (see col. 8-20).

Regarding claim 36, Heinonen discloses a method (see claim 15 rejection) wherein the processing step comprises processing a software upgrade on the recipient device when the type

of the sender-personalized notification is a software upgrade (refer to claim 35 reasoning) (see col. 8-20).

Regarding claim 37, Heinonen discloses a wireless device (see claim 23 rejection) wherein the sender-personalized notification processing mechanism is further configured to process a software upgrade sent as the sender-personalized notification on the wireless device when a type of the sender-personalized notification is a software upgrade (refer to claim 35 reasoning) (see col. 8-20).

Regarding claim 38, Heinonen discloses a product (see claim 31 rejection) wherein the first computer code device is further configured to process a software upgrade sent as the sender-personalized notification when a type of the sender-personalized notification is a software upgrade (refer to claim 35 reasoning) (see col. 8-20).

Regarding claim 39, Heinonen discloses a mobile switching center (as known in the system, mobile switching center is a part of GSM, TDMA, CDMA, and cellular network. Heinonen discloses that the invention in a global system for mobile communication, and in a cellular system, wherein mobile switching center is included) (see col. 2, lines 61-63, and col. 4, lines 14-18) comprising: a processor (i.e., control means) (see col. 10, line 63); and a computer readable medium encoded with processor readable instructions that when executed by the processor (inherent) implement a sender-personalized notification enabling mechanism configured to determine if a sender of a call sent a sender-personalized notification as a separate message at substantially a same time as placing the call (i.e., decision function 402) (see col. 2, lines 36-42, and col. 8, lines 66 through col. 9, line 7), and a sender-personalized notification pushing mechanism configured to send the sender-personalized notification at substantially a

Application/Control Number: 10/748,143 Page 20

Art Unit: 2617

same time as the call is routed to a recipient of the call (i.e., the user at handset 23 dials the phone number of handset 24. prior to indicating to the user of handset terminal 24 that an incoming call has arrived, the selected ringing indication is fetched from data file, whereupon handset 24 is activated in accordance with the ringing indication selection that was made by the user at handset terminal 23. Thus, when the user dials the phone number of the recipient, the selected ringing indication is included with the call) (see col. 7, lines 59 through col. 8, line 7).

Regarding claim 40, Heinonen discloses a mobile switching center (see claim 39 rejection) wherein the sender-personalized message comprises a multimedia messaging service (MMS) message (see col. 2, lines 36-42, and col. 4, lines 9-19. Also, refer to claim 9 rejection).

Regarding claim 45, Heinonen discloses a fixed line device (see claim 26 rejection) wherein the sender-personalized notification processing mechanism is further configured to process a software upgrade sent as the sender-personalized notification on the fixed line device when a type of the sender-personalized notification is a software upgrade (refer to claim 35 reasoning) (see col. 8-20).

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 41-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heinonen in view of Olschwang et al. (Olschwang), Pub. No. US 20040174983.

Regarding claims 42, Heinonen discloses a system (see claim 1 rejection) comprising a recipient device (see claim 1 rejection) wherein a sender-personalized notification will be played by the recipient device when the recipient device receives a call from the sender device (see col. 9, lines 13-20).

Although Heinonen discloses a device as described, Heinonen does not specifically disclose recipient device comprises a phonebook; and the recipient device is further configured to determine if the phonebook includes an entry for the sender device, and to store the sender-personalized notification as a custom notification corresponding to an entry associated with the sender device such that the notification received as the sender-personalized notification will be played by the recipient device when the recipient device receives a call from the sender device.

However, Olschwang discloses a recipient device comprising a phonebook (i.e., caller ID or database which stores call originator identities) (see pages 5-6, and paragraph 67) wherein the tones providing system 206 can also identify the originator 201, for example according to a Caller ID (CLI) provided by the switch 203. In those cases when the call originator 201 is identified, according to one embodiment of the invention it is possible to select and provide a personalized configurable call progress tone aimed to the specific call originator 201 (see pages 5-6, paragraph 67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine implement the teachings as described by Olschwang with teachings of Heinonen to arrive at the claimed invention. A motivation for doing so would have been to provide configurable call progress tones (see page 1, paragraph 3).

Regarding claim 42, Heinonen discloses a method as described above (see claim 15 rejection).

Although Heinonen discloses a method as described, Heinonen does not specifically disclose a method further comprising the steps of: determining if a phonebook of the recipient device includes an entry for a sender of the call; storing the sender-personalized notification as a custom notification corresponding to an entry associated with the sender of the call; and playing by the recipient device the custom notification when the recipient device receives a call from the sender of the call.

However, Olschwang discloses method wherein a recipient device comprising a phonebook (i.e., caller ID or database which stores call originator identities) (see pages 5-6, and paragraph 67), and wherein the tones providing system 206 can also identify the originator 201, for example according to a Caller ID (CLI) provided by the switch 203. In those cases when the call originator 201 is identified, according to one embodiment of the invention it is possible to select and provide a personalized configurable call progress tone aimed to the specific call originator 201 (see pages 5-6, paragraph 67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine implement the teachings as described by Olschwang with teachings of Heinonen to arrive at the claimed invention. A motivation for doing so would have been to provide configurable call progress tones (see page 1, paragraph 3).

Regarding claim 43, Heinonen discloses a wireless device as described above (see claim 23 rejection).

Although Heinonen discloses a device as described, Heinonen does not specifically disclose a device wherein the sender-personalized notification processing mechanism is further configured to determine if a phonebook of the wireless device includes an entry for a sender of the call, and to store the sender-personalized notification as a custom notification corresponding to an entry associated with the sender of the call such that the custom notification will be played by the wireless device when the wireless device receives a call from the sender of the call.

However, Olschwang discloses method wherein a recipient device comprising a phonebook (i.e., caller ID or database which stores call originator identities) (see pages 5-6, and paragraph 67), and wherein the tones providing system 206 can also identify the originator 201, for example according to a Caller ID (CLI) provided by the switch 203. In those cases when the call originator 201 is identified, according to one embodiment of the invention it is possible to select and provide a personalized configurable call progress tone aimed to the specific call originator 201 (see pages 5-6, paragraph 67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine implement the teachings as described by Olschwang with teachings of Heinonen to arrive at the claimed invention. A motivation for doing so would have been to provide configurable call progress tones (see page 1, paragraph 3).

Regarding claim 44, Heinonen discloses a fixed line device as described above (see claim 26 rejection).

Although Heinonen discloses a device as described, Heinonen does not specifically disclose a device wherein the sender-personalized notification processing mechanism is further configured to determine if a phonebook of the fixed line device includes an entry for a sender of

the call, and to store the sender-personalized notification as a custom notification corresponding to an entry associated with the sender of the call such that the custom notification will be played by the fixed line device when the fixed line device receives a call from the sender of the call.

However, Olschwang discloses method wherein a recipient device comprising a phonebook (i.e., caller ID or database which stores call originator identities) (see pages 5-6, and paragraph 67), and wherein the tones providing system 206 can also identify the originator 201, for example according to a Caller ID (CLI) provided by the switch 203. In those cases when the call originator 201 is identified, according to one embodiment of the invention it is possible to select and provide a personalized configurable call progress tone aimed to the specific call originator 201 (see pages 5-6, paragraph 67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine implement the teachings as described by Olschwang with teachings of Heinonen to arrive at the claimed invention. A motivation for doing so would have been to provide configurable call progress tones (see page 1, paragraph 3).

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pierre-Louis Desir whose telephone number is (571) 272-7799. The examiner can normally be reached on Monday-Friday 8:00AM- 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2617

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Pierre-Louis Desir 03/17/2007

JEAN GELIN
PRIMARY EXAMINES

Page 25